


1A-22116


© 2011 McGraw-Hill Construction Information Group. All rights reserved. This document is the property of McGraw-Hill Construction Information Group. It is to be used for the project only and is not to be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior written permission from McGraw-Hill Construction Information Group.



1 POWER PLAN
SCALE: 1/4" = 1'-0"



FOOD SERVICE ELECTRICAL SCHEDULE									
Item No.	Qty	DESCRIPTION	Height	Panel	Panel	Panel	Panel	Panel	NEMA
1	1	PIZZA OVEN (NATURAL GAS)	—	—	120	1	X	VERIFY	5-1BR
2	1	CONVECTION OVEN	52.8	11	—	208	1	X	VERIFY
3	1	RANGE (NATURAL GAS)	—	—	120	1	X	VERIFY	5-1BR
4	1	SANDWICH/BALAD PREPARATION REFRIGERATOR	8.8	—	1/3	120	1	X	VERIFY
5	1	PIZZA PREPARATION REFRIGERATOR	10.4	—	2/3	120	1	X	VERIFY
6	1	REACH-IN REFRIGERATOR	8.2	—	1/3	120	1	X	VERIFY
7	1	WALK-IN COOLER, SELF CONTAINED	(MCA) 14.2	—	1/2	120	1	X	VERIFY
8	1	HEAT LAMP	8.3	1728	—	208	1	X	VERIFY
9	1	CHEMICAL DISHWASHER	18	—	1	120	1	X	VERIFY
10	1	REACH-IN FREEZER	7.8	—	1/2	120	1	X	VERIFY
11	1	ESPRESSO MACHINE	14	3	—	208	1	X	VERIFY
12	1	COFFEE MACHINE	—	—	—	120	1	X	VERIFY
13	1	ICE MACHINE	(MCA) 13.8	—	—	120	1	X	VERIFY
14	1	UNDERCOUNTER DISHWASHER	12	—	1	120	1	X	VERIFY



2 ATTIC POWER PLAN
SCALE: 1/4" = 1'-0"



GENERAL POWER NOTES:

1. NUMBER ADJUSTED TO SHOW ALL DEVICES POLE POSITION WITHIN PANEL.
2. REFER TO SHEET E2.0 FOR PANEL SCHEDULE.

POWER KEYED NOTES:

1. UNDER COUNTER, COORDINATE INCLUDING HEIGHT WITH MECHANICAL.
2. SHELF MOUNTED INCLUDING OVER RECEPTACLE, VERIFY LOCATION AND INCLUDING HEIGHT WITH ARCHITECT AND OWNER PRIOR TO ROOM-IN.
3. KITCHEN HOOD CONTROL PANEL, INSTALLED BY MECHANICAL CONTRACTOR, FIELD WIRING BY ELECTRICAL CONTRACTOR. COORDINATE INSTALLATION WITH MECHANICAL CONTRACTOR PRIOR TO ROOM-IN. THESE DRAWINGS ASSUME THE CONTROL PANEL CONTAINS REQUIRED SHUT-OFFS (CIRCUITRY, ETC.) NEUTRAL POWER FOR 240V-1 AND 240V-2 LINE CONTROL PANEL. DISCONNECT 240V-1-2 INTERLOCKED WITH 240V-1.
4. CONNECTION FOR MECH. WEARING DEGREE, COORDINATE REQUIREMENTS WITH MECHANICAL. COORDINATE LOCATION WITH OWNER'S REPRESENTATIVE PRIOR TO ROOM-IN.
5. CONFIRM/COORDINATE PROPER WORKING CLEARANCE AT DISCONNECTS PRIOR TO ROOM-IN.
6. ALL POWERED ITEMS UNDER THIS HOOD ARE TO HAVE CIRCUITS ROUTED THROUGH THE HOOD CONTROLLER THEN ON TO PANEL/SCHEDULE SERVING THE EQUIPMENT.
7. COORDINATE RECEPTACLE LOCATION WITH OWNER KEY PRIOR TO ROOM-IN. FOR DISPLAY CASE POWER, RECEPTACLE CANNOT BE RUN BY CASE.
8. 120V OUTLET FOR HAND CONTROL EQUIPMENT. ALL HAND LOW VOLTAGE CONTROLS BY MECHANICAL CONTRACTOR.

RECEIVED
JUN 21 2011
MCKIBBIN + COOPER
ARCHITECTS
315 W. Main Street
Boise, ID 83724
208.333.1111
info@mckibbincooper.com

Waterfront District
Restaurant



09/20/2010

ELECTRICAL POWER PLAN

Scale

E 2.1

7 OF 8

IDAHO STATE POLICE
ALCOHOL BEVERAGE CONTROL
3555 N. Prospect Way, Garden City, ID 83714
Max + C No. 15504100