


SOUTHWEST DISTRICT HEALTH DEPT
APPROVAL

International Energy Code Compliance NOTE:

NO CHANGE IN BUILDING ENVELOPE, LIGHTING, OR MECHANICAL SYSTEMS.

DESIGN CRITERIA

EXPOSURE: "B"
SEISMIC DESIGN CATEGORY: "C" - SITE CLASSIFICATION "D"
WIND LOADING: 90 MILES PER HOUR - 3 SECOND GUST
BASIC GROUND SNOW LOAD: 20 PSF
FROST DEPTH: 24"
MINIMUM COLLATERAL LOAD: 5 PSF

PLUMBING FIXTURES:

NO NEW FIXTURES ARE BEING ADDED. EXISTING FIXTURES ARE BEING RELOCATED.

BUILDING CODE DATA

INTERNATIONAL BUILDING CODES 2009

COMMERCIAL STORY
SINGLE STORY, 17' HEIGHT
OCCUPANCY GROUP: M
BUILDING TOTAL AREA: 9,670 SF
CONSTRUCTION TYPE: I-3 NON-RATED
NO FIRE ALARM SYSTEM, NO SMOKE CONTROL SYSTEM
NO AUTOMATIC FIRE SPRINKLERS

OCCUPANT LOADS / EXIT REQUIREMENTS
SALES AREA = 30 SF PER OCCUPANT
1,630 SF / 30 = 54.3 (51 OCCUPANTS)
BACKROOM, COOLER, & RESTROOM = 200 SF PER OCCUPANT
1,690 SF / 200 = 8.45 (8 OCCUPANTS)

TOTAL (57 OCCUPANTS)

(2) EXITS REQUIRED

ADOPTED CODES

2009 INTERNATIONAL BUILDING CODE
2009 INTERNATIONAL RESIDENTIAL CODE
2008 NATIONAL ELECTRICAL CODE
2009 INTERNATIONAL MECHANICAL CODE
2009 INTERNATIONAL FUEL GAS CODE
2009 INTERNATIONAL PLUMBING CODE OR 2009 UPC
2009 INTERNATIONAL ENERGY CONSERVATION CODE
2009 INTERNATIONAL FIRE CODE
2003 ICC - ANSI A117.1

Floor Plan Remodel Plan

1/4"



Building Permit PLANS

SCOPE OF WORK:

REMOVE AND REPLACE FOOD COUNTER.
NEW FOOD COUNTER TO MEET ACCESSIBILITY REQUIREMENTS.
REMOVE AND REPLACE SALES COUNTER.
NEW SALES COUNTER TO MEET ACCESSIBILITY REQUIREMENTS.
REMODEL EXISTING WALK-IN COOLER AND FREEZER.
ADD (3) NEW COOLER DOORS AND (2) NEW FREEZER DOORS.
RELOCATE INTERIOR NON-LOAD BEARING PARTITIONS TO FIT
NEW SALES COUNTER, FOOD COUNTER, COOLER CONFIGURATION,
AND SECURE STORAGE ROOM.

DALE BINNING
ARCHITECT



JACKSONS FOOD STORES
STORE #117
4515 GARRITY BOULEVARD • Nampa, Idaho • 83687

Jacksons

DATE:
APRIL 7, 2011
SHEET:

A-1m

#117